AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions:</u> The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-305-671-0200</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. <u>If information provided is not complete, correct, or legible, authorization may be delayed.</u>

<u>Drug Requeste</u>d: Fasenra® SQ (benralizumab) (Pharmacy)

MEMBER & PRESCRIBER INFO	ORMATION: Authorization may be delayed if incomplete.
Member Name:	
Member AvMed #:	Date of Birth:
Prescriber Name:	
Prescriber Signature:	Date:
Office Contact Name:	
Phone Number:	Fax Number:
DEA OR NPI #:	
DRUG INFORMATION: Authoriza	ation may be delayed if incomplete.
Drug Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight:	Date:
Recommended Dosage: 30 mg SubQ thereafter	once every 4 weeks for the first 3 doses, then once every 8 weeks
Tezspire [™] and Xolair [®] to be experimenta have <u>NOT</u> been established and will <u>NOT</u>	nt therapy with Cinqair [®] , Dupixent [®] , Fasenra [®] , Nucala [®] , all and investigational. Safety and efficacy of these combinations be permitted. In the event a member has an active Cinqair [®] , authorization on file, all subsequent requests for Fasenra [®] will
Medication will be (select ONE of the foll ☐ Self-Administered (pharmacy bene ☐ Administered by Provider (medical)	efit)

(Continued on next page)

	ne checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided lest may be denied.	
Initial Authorization: 12 months		
	Prescribed by or in consultation with an allergist, immunologist or pulmonologist	
	Member is 12 years of age or older	
	Has the member been approved for Fasenra [®] previously through the Optima medical department? ☐ Yes ☐ No	
	Member has been diagnosed with severe eosinophilic phenotype defined by a baseline (pre-Fasenra [®]) peripheral blood eosinophil level ≥ 150 cells/microliter at the initiation of treatment	
	Member is currently being treated with <u>ONE</u> of the following unless there is a contraindication or intolerance to these medications and must be compliant on therapy <u>for at least 90 consecutive days</u> within a year of request:	
	High-dose inhaled corticosteroid (ICS) (e.g., greater than 500 mcg fluticasone propionate equivalent/day) <u>AND</u> an additional asthma controller medication (e.g., leukotriene receptor antagonist, long-acting beta-2 agonist (LABA), theophylline)	
	One maximally dosed combination ICS/LABA product (e.g., Advair® (fluticasone propionate/salmeterol), Dulera® (mometasone/formoterol), Symbicort® (budesonide/formoterol))	
	Member has experienced ONE of the following (check box that applies):	
	☐ More than > 2 exacerbations requiring additional medical treatment (e.g., an increase in oral corticosteroid dose, emergency department, urgent care visits or hospitalizations) within the past 12 months	
	☐ Any prior intubation for an asthma exacerbation	
	Member has a baseline forced expiratory volume (FEV1) $<$ 80% predicted normal ($<$ 90% for members 12-17 years old) submitted within year of request	
	Provider must submit member blood eosinophil count after a trial and failure of at least 90 consecutive days of therapy with high dose inhaled corticosteroids <u>AND</u> long-acting inhaled beta-2 agonist. A failure of these medications is defined as a blood count > 150 cells/microliter (submit labs collected within the past 12 months)	
	Eosinophil count: Date:	

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support

(Continued on next page)

Reauthorization: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

1 1		ember has experienced a sustained positive clinical response to Fasenra® therapy as demonstrated at least ONE of the following (check all that apply; chart notes must be submitted) :
		Increase in percent predicted Forced Expiratory Volume (FEV1) from baseline (pre-treatment)
		Reduction in the dose of inhaled corticosteroids required to control asthma
		Reduction in the use of oral corticosteroids to treat/prevent exacerbation
		Reduction in asthma symptoms such as chest tightness, coughing, shortness of breath or nocturnal awakenings
☐ Member is currently being treated with <u>ONE</u> of the following unless there is a contraindication or intolerance to these medications:		, , ,
		High-dose inhaled corticosteroid (ICS) (e.g., greater than 500 mcg fluticasone propionate equivalent/day) <u>AND</u> an additional asthma controller medication (e.g., leukotriene receptor antagonist, long-acting beta-2 agonist (LABA), theophylline)
		One maximally dosed combination ICS/LABA product (e.g., Advair® (fluticasone propionate/salmeterol), Dulera® (mometasone/formoterol), Symbicort® (budesonide/formoterol))

Medication being provided by a Specialty Pharmacy - PropriumRx

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

**Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. **

*Previous therapies will be verified through ph armacy paid claims or submitted chart notes. *