

AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-305-671-0200.** No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

Drug Requested: Orenzia[®] SQ (abatacept) (Pharmacy)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member AvMed #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

DEA OR NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code: _____

Weight: _____ Date: _____

NOTE: AvMed considers the use of concomitant therapy with more than one biologic immunomodulator (e.g., Dupixent, Entyvio, Humira, Rinvoq, Stelara) prescribed for the same or different indications to be experimental and investigational. Safety and efficacy of these combinations has **NOT** been established and will **NOT** be permitted.

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Diagnosis: Moderate-to-Severe Rheumatoid Arthritis
Dosing: SubQ: 125 mg once weekly

- Member has a diagnosis of **moderate-to-severe rheumatoid arthritis**
- Prescribed by or in consultation with a **Rheumatologist**

(Continued on next page)

- Member has tried and failed at least **ONE** of the following **DMARD** therapies for at least **three (3) months**
 - hydroxychloroquine
 - leflunomide
 - methotrexate
 - sulfasalazine

Member meets **ONE** of the following:

- Member tried and failed, has a contraindication, or intolerance to **TWO** of the **PREFERRED** biologics below (**verified by chart notes or pharmacy paid claims**):

<input type="checkbox"/> Actemra [®] SC	<input type="checkbox"/> adalimumab product: Humira [®] , Cyltezo [®] or Hyrimoz [®]	<input type="checkbox"/> Enbrel [®]
<input type="checkbox"/> Rinvoq [®]	<input type="checkbox"/> Xeljanz [®] /XR [®]	

- Member has been established on Orenzia[®] for at least 90 days **AND** prescription claims history indicates **at least a 90-day supply of Orenzia was dispensed within the past 130 days** (**verified by chart notes or pharmacy paid claims**)

Diagnosis: Active Psoriatic Arthritis

Dosing: SubQ: 125 mg once weekly

- Member has a diagnosis of active **psoriatic arthritis**
- Prescribed by or in consultation with a **Rheumatologist**
- Member has tried and failed at least **ONE** of the following **DMARD** therapies for at least **three (3) months**
 - cyclosporine
 - leflunomide
 - methotrexate
 - sulfasalazine

Member meets **ONE** of the following:

- Member tried and failed, has a contraindication, or intolerance to **TWO** of the **PREFERRED** biologics below (**verified by chart notes or pharmacy paid claims**):

<input type="checkbox"/> adalimumab product: Humira [®] , Cyltezo [®] or Hyrimoz [®]	<input type="checkbox"/> Enbrel [®]	<input type="checkbox"/> Otezla [®]	<input type="checkbox"/> Rinvoq [®]
	<input type="checkbox"/> Skyrizi [®]	<input type="checkbox"/> Stelara [®]	<input type="checkbox"/> Taltz [®]
	<input type="checkbox"/> Xeljanz [®] /XR [®]	<input type="checkbox"/> Tremfya [®]	

- Member has been established on Orenzia[®] for at least 90 days **AND** prescription claims history indicates **at least a 90-day supply of Orenzia was dispensed within the past 130 days** (**verified by chart notes or pharmacy paid claims**)

Diagnosis: Moderate-to-Severe Polyarticular Juvenile Idiopathic Arthritis
Dosing: SubQ: 10 to < 25 kg- 50 mg once weekly; > 25 to < 50 kg- 87.5 mg once weekly; > 50 kg- 125 mg once weekly

- Member has a diagnosis of moderate-to-severe polyarticular **juvenile idiopathic arthritis**
- Prescribed by or in consultation with a **Rheumatologist**
- Member has tried and failed at least **ONE** of the following **DMARD** therapies for at least **three (3) months**
 - cyclosporine
 - hydroxychloroquine
 - leflunomide
 - methotrexate
 - Non-steroidal anti-inflammatory drugs (NSAIDs)
 - oral corticosteroids
 - sulfasalazine
 - tacrolimus

- Member meets **ONE** of the following:
 - Member tried and failed, has a contraindication, or intolerance to **TWO** of the following **PREFERRED** biologics:

<input type="checkbox"/> Actemra [®] SC	<input type="checkbox"/> adalimumab product: Humira [®] , Cyltezo [®] or Hyrimoz [®]
<input type="checkbox"/> Enbrel [®]	<input type="checkbox"/> Xeljanz [®] /XR [®]

- Member has been established on Orencia[®] for at least 90 days **AND** prescription claims history indicates **at least a 90-day supply of Orencia was dispensed within the past 130 days** (verified by chart notes or pharmacy paid claims)

Medication being provided by Specialty Pharmacy – Proprium Rx

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****
****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****