

AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-305-671-0200.** No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process can be delayed.**

Drug Requested: Simponi[®] (golimumab) SQ ONLY (Pharmacy)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member AvMed #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

DEA OR NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code: _____

Weight: _____ Date: _____

NOTE: The Health Plan considers the use of concomitant therapy with more than one biologic immunomodulator (e.g., Dupixent, Entyvio, Humira, Rinvoq, Stelara) prescribed for the same or different indications to be experimental and investigational. Safety and efficacy of these combinations has **NOT** been established and will **NOT** be permitted.

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Diagnosis: Moderate-to-Severe Rheumatoid Arthritis
Dosing: SubQ: 50 mg once a month (in combination with methotrexate)

- Member has a diagnosis of moderate-to-severe **rheumatoid arthritis**
- Prescribed by or in consultation with a **Rheumatologist**

(Continued on next page)

- Member has tried and failed at least **ONE** of the following **DMARD** therapies for at least **three (3) months**
 - hydroxychloroquine
 - leflunomide
 - methotrexate
 - sulfasalazine

- Member meets **ONE** of the following:

- Member tried and failed, has a contraindication, or intolerance to **TWO** of the **PREFERRED** biologics below (**verified by chart notes or pharmacy paid claims**):

<input type="checkbox"/> Actemra [®] SC	<input type="checkbox"/> adalimumab product: Humira [®] , Cyltezo [®] or Hyrimoz [®]	<input type="checkbox"/> Enbrel [®]
<input type="checkbox"/> Rinvoq [®]	<input type="checkbox"/> Xeljanz [®] /XR [®]	

***NOTE:** Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; Hyrimoz NDC's starting with 83457 are not approved, NDC's starting with 61314 (MFG: Sandoz) are preferred

- Member has been established on Simponi[®] SQ for at least 90 days **AND** prescription claims history indicates **at least a 90-day supply of Simponi SQ was dispensed within the past 130 days** (**verified by chart notes or pharmacy paid claims**)

Diagnosis: Active Psoriatic Arthritis
Dosing: SubQ: 50 mg once a month (either alone or in combination with methotrexate or other non-biologic DMARDs)

- Member has a diagnosis of active **psoriatic arthritis**
- Prescribed by or in consultation with a **Rheumatologist**
- Member has tried and failed at least **ONE** of the following **DMARD** therapies for at least **three (3) months**
 - cyclosporine
 - leflunomide
 - methotrexate
 - sulfasalazine

(Continued on next page)

- ❑ Member meets **ONE** of the following:
 - ❑ Member tried and failed, has a contraindication, or intolerance to **TWO** of the **PREFERRED** biologics below (verified by chart notes or pharmacy paid claims):

❑ adalimumab products: Humira [®] , Cyltezo [®] or Hyrimoz [®]	❑ Enbrel [®]	❑ Otezla [®]	❑ Rinvoq [®]
	❑ Stelara [®]	❑ Taltz [®]	❑ Tremfya [®]
	❑ Skyrizi [®]	❑ Xeljanz [®] /XR [®]	

***NOTE:** Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; Hyrimoz NDC's starting with 83457 are not approved, NDC's starting with 61314 (MFG: Sandoz) are preferred

- ❑ Member has been established on Simponi[®] SQ for at least 90 days **AND** prescription claims history indicates **at least a 90-day supply of Simponi SQ was dispensed within the past 130 days** (verified by chart notes or pharmacy paid claims)

❑ Diagnosis: Active Ankylosing Spondylitis

Dosing: SubQ: 50 mg once a month (either alone or in combination with methotrexate or other non-biologic DMARDs)

- ❑ Member has a diagnosis of active **ankylosing spondylitis**
- ❑ Prescribed by or in consultation with a **Rheumatologist**
- ❑ Member tried and failed, has a contraindication, or intolerance to **TWO** NSAIDs
- ❑ Member meets **ONE** of the following:

- ❑ Member tried and failed, has a contraindication, or intolerance to **TWO** of the **PREFERRED** biologics below (verified by chart notes or pharmacy paid claims):

❑ adalimumab product: Humira [®] , Cyltezo [®] or Hyrimoz [®]	❑ Enbrel [®]	❑ Rinvoq [®]
❑ Taltz [®]	❑ Xeljanz [®] /XR [®]	

***NOTE:** Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; Hyrimoz NDC's starting with 83457 are not approved, NDC's starting with 61314 (MFG: Sandoz) are preferred

- ❑ Member has been established on Simponi[®] SQ for at least 90 days **AND** prescription claims history indicates **at least a 90-day supply of Simponi SQ was dispensed within the past 130 days** (verified by chart notes or pharmacy paid claims)

❑ Diagnosis: Moderate-to-Severe Active Ulcerative Colitis

Dosing: SubQ: Induction: 200 mg at week 0, then 100 mg at week 2, followed by maintenance therapy of 100 mg every 4 weeks

- ❑ Member has a diagnosis of moderate-to-severe active **Ulcerative Colitis**
- ❑ Prescribed by or in consultation with a **Gastroenterologist**

- Member meets **ONE** of the following:
 - Member has tried and failed budesonide or high dose steroids (40-60 mg prednisone)
 - Member has tried and failed at least **ONE** of the following **DMARD** therapies for at least **three (3) months**
 - 5-aminosalicylates (balsalazide, olsalazine, sulfasalazine)
 - oral mesalamine (Apriso, Asacol/HD, Delzicol, Lialda, Pentasa)
- Member meets **ONE** of the following:
 - Member tried and failed, has a contraindication, or intolerance to **ONE** of the following **PREFERRED** adalimumab products [***NOTE:** Humira NDC's starting with 83457 are not approved, NDC's starting with 00074 (MFG: Abbvie) are preferred; Hyrimoz NDC's starting with 83457 are not approved, NDC's starting with 61314 (MFG: Sandoz) are preferred]:
 - Humira[®]
 - Cyltezo[®]
 - Hyrimoz[®]
 - Member has been established on Simponi[®] SQ for at least 90 days **AND** prescription claims history indicates **at least a 90-day supply of Simponi SQ was dispensed within the past 130 days (verified by chart notes or pharmacy paid claims)**

Medication being provided by a Specialty Pharmacy – Proprium Rx

*****Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.*****

****Previous therapies will be verified through pharmacy paid claims or submitted chart notes.****

*Approved by Pharmacy and Therapeutics Committee: 6/21/2010; 8/17/2023

REVISED/UPDATED/REFORMATTED: 4/12/2011; 8/22/2011; 7/9/2012; 7/22/2013; 9/19/2013; 11/20/2013; 1/27/2014; 2/4/2014; 4/4/2014; 4/28/2014; 8/18/2014; 11/5/2014; 5/22/2015; 12/15/15; 12/23/2015; 3/30/2016; 9/22/2016; 12/11/2016; 8/5/2017; 12/28/2017; 11/23/2018; 9/28/2019; 11/16/2019; 12/20/2022; 5/26/2023; 8/13/2023; 3/26/2024