AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-305-671-0200</u>. No additional phone calls will be necessary if all information <u>(including phone and fax #s)</u> on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

Topical Zoryve Products

| Drug Requested: select one drug below | |
|--|---|
| □ Zoryve® (roflumilast) 0.15% cream | □ Zoryve® (roflumilast) 0.3 % cream |
| □ Zoryve® (roflumilast) topical foam, 0.3% | |
| MEMBER & PRESCRIBER INFORMA | TION: Authorization may be delayed if incomplete. |
| Member Name: | |
| Member AvMed #: | |
| Prescriber Name: | |
| Prescriber Signature: | Date: |
| Office Contact Name: | |
| Phone Number: | Fax Number: |
| NPI #: | |
| DRUG INFORMATION: Authorization may | y be delayed if incomplete. |
| Drug Name/Form/Strength: | |
| Dosing Schedule: | Length of Therapy: |
| Diagnosis: | ICD Code, if applicable: |
| Weight (if applicable): | Date weight obtained: |
| Quantity Limit: 60 grams (1 tube/can) per 30 d | days |
| CLINICAL CRITERIA: Check below all the support each line checked, all documentation, incluprovided or request may be denied. | at apply. All criteria must be met for approval. To ading lab results, diagnostics, and/or chart notes, must be |
| □ Diagnosis: Atopic Dermatitis | |
| Length of Authorization: 12 months | |

(Continued on next page)

| | Provider is requesting Zoryve® (roflumilast) 0.15% cream (<u>NOTE</u> : Zoryve® 0.3% cream & 0.3% topical foam are not indicated for treatment of atopic dermatitis) |
|-------|--|
| | Member is ≥ 6 years of age |
| | Member has a diagnosis of atopic dermatitis for ≥ 3 months |
| | Member has tried and failed BOTH of the following (verified by chart notes and pharmacy paid claims): |
| | ☐ At least 14 days of therapy with a topical corticosteroid (e.g., triamcinolone, mometasone, fluocinolone, fluocinonide, betamethasone) |
| | ☐ At least 30 days of therapy with a topical calcineurin inhibitor (e.g., tacrolimus ointment, pimecrolimus cream) |
| | Diagnosis: Seborrheic Dermatitis |
| Initi | al Authorization: 6 months |
| | Provider is requesting Zoryve® (roflumilast) 0.3% topical foam (NOTE: Zoryve® 0.15% and 0.3% cream not indicated for treatment of seborrheic dermatitis) |
| | Member is ≥ 9 years of age |
| | Member has a diagnosis of seborrheic dermatitis |
| | Member has a history of failure, contraindication, or intolerance to <u>BOTH</u> of the following therapies (chart notes documenting contraindication(s) or intolerance must be attached; trials will be verified using pharmacy claims and/or submitted chart notes): |
| | □ 30 days of therapy with <u>ONE</u> topical corticosteroid (i.e., clobetasol, fluocinonide or mometasone cream/ointment/solution) in the past 180 days |
| | □ 30 days of therapy with <u>ONE</u> topical antifungal (ciclopirox shampoo/gel, ketoconazole cream/shampoo, selenium sulfide 2.25% shampoo) in the past 180 days |
| □ D | Diagnosis: Seborrheic Dermatitis |
| To su | uthorization: 12 months. Check below all that apply. All criteria must be checked for approval. apport each line checked, all documentation, including (lab results, diagnostics, and/or chart notes) be provided or request may be denied. |
| | Member has experienced disease improvement and/or stabilization of seborrheic dermatitis (chart notes must be submitted) |
| | |
| | |
| | |

(Continued on next page)

| □ Diagnosis: Plaque Psoriasis |
|--|
| Initial Authorization: 6 months |
| □ Provider is requesting ONE of the following (NOTE: Zoryve® 0.15% cream is not indicated for treatment of plaque psoriasis): □ Zoryve® (roflumilast) 0.3% cream □ Zoryve® (roflumilast) 0.3% foam |
| Member must meet <u>ONE</u> of the following age requirements for use: □ For Zoryve[®] (roflumilast) 0.3% cream requests: Member is ≥ 6 years of age □ For Zoryve[®] (roflumilast) 0.3% foam requests: Member is ≥ 12 years of age |
| ☐ Member has a diagnosis of plaque psoriasis |
| ☐ Member has a history of failure, contraindication, or intolerance to <u>BOTH</u> of the following therapies (chart notes documenting contraindication(s) or intolerance must be attached; trials will be verified using pharmacy claims and/or submitted chart notes): |
| □ 30 days (14 days for very high potency) of therapy with <u>ONE</u> topical corticosteroid in the past 180 days |
| □ 30 days of therapy with <u>ONE</u> other topical agent used for the treatment of psoriasis (e.g., calcipotriene 0.05% ointment or solution, tacrolimus 0.01% or 0.03% ointment, tazarotene 0.1% cream) in the past 180 days |
| □ Diagnosis: Plaque Psoriasis |
| Reauthorization: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied. |
| ☐ Member has experienced disease improvement and/or stabilization of plaque psoriasis (chart notes mu |

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

**Use of samples to initiate therapy does not meet step edit/preauthorization criteria. **

*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. *

be submitted)