AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; <u>fax to 1-305-671-0200</u>. No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. If the information provided is not complete, correct, or legible, the authorization process can be delayed.

Drug Requested: <u>Topical Acne Drugs</u> (check applicable box below)

PREFERRED: adapalene (Differin [®]) cream/gel/solution **	PREFERRED: tretinoin (Retin [®] -A) cream 0.025%, 0.05%, 0.1%; gel 0.01%, 0.025%**	
**generic adapalene and tretinoin products require prior authorization if used as treatment in a member <u>greater than 29 years of age</u>		
 adapalene 0.3%/benzoyl peroxide 2.5% gel (Epiduo Forte[®]) 	□ Altreno [®] (tretinoin) lotion 0.05%	
□ Aklief [®] (trifarotene) cream 0.005%	□ Amzeeq [®] (minocycline) topical foam 4%	
□ Azelex [®] (azelaic acid) cream 20%	clindamycin 1.2%/benzoyl peroxide 2.5% gel (Acanya [®])	
□ dapsone gel 5% (Aczone [®])	tazarotene (Fabior) foam 0.1%	
 Retin[®]-A Micro (tretinoin microsphere) 0.06%, 0.08% gel 	□ tazarotene cream 0.1% (Tazorac [®])	
□ tretinoin gel 0.05% (Atralin [®])	tretinoin microsphere gel 0.04%,0.1% (Retin [®] -A Micro)	
□ Winlevi [®] (clascoterone) cream 1%		

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Date of Birth:
Date:
Fax Number:

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight:	Date:

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

****NOTE:** Adapalene and all tretinoin based medications are restricted to **<u>NON-COSMETIC</u>** purposes

**generic adapalene and tretinoin products require prior authorization if used as treatment in a member greater than 29 years of age.

For formulary preferred adapalene or tretinoin product requests:

- □ If requesting a formulary preferred adapalene or tretinoin product, member has <u>ONE</u> of the following diagnoses
 - Diagnosis (for generic adapalene or tretinoin requests):
 - □ Acne vulgaris and member is greater than 29 years of age
 - □ Rosacea and member is greater than 29 years of age
 - □ Medication is being requested for a diagnosis not listed on prior authorization form and provider has submitted rationale for medical necessity of use with supporting clinical documentation below
 - Diagnosis (for generic tretinoin requests only):
 - □ Actinic keratosis and member is greater than 29 years of age
 - □ Medication is being requested for a diagnosis not listed on prior authorization form and provider has submitted rationale for medical necessity of use with supporting clinical documentation below

MEDICAL NECESSITY: Provide clinical evidence below that the preferred drug will not provide adequate benefit.

(Continued on next page)

For all other topical acne drug requests (excluding formulary preferred adapalene or tretinoin products):

- □ For all other topical acne drug requests, member must meet **<u>BOTH</u>** of the following:
 - □ Member has been diagnosed with acne vulgaris
 - □ Member must have documentation of at least a <u>30 day trial and failure</u> of <u>THREE (3)</u> of the following:
 - □ adapalene 0.1% cream/solution/gel or 0.3% gel (generic Differin[®]) **
 - □ adapalene 0.1%/benzoyl peroxide 2.5% gel (generic Epiduo[®])
 - □ benzoyl peroxide OTC
 - □ benzoyl peroxide 1%, 1.2%/clindamycin 5% gel (generic BenzaClin[®] & Neuac[®]/Duac[®] gel)
 - □ benzoyl peroxide 5%/erythromycin 3% gel (generic Benzamycin)
 - □ clindamycin 1% topical
 - □ erythromycin 2% topical
 - □ tretinoin (generic Retin-A[®]) 0.025%, 0.05%, 0.1% cream or 0.01%, 0.025% gel **

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required. **Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.** *<u>Previous therapies will be verified through pharmacy paid claims or submitted chart notes.</u>*

REVISED/UPDATED: 5/8/2014; 5/28/2014; 6/10/2014; 7/29/2014; 8/6/2014; 9/23/2014; 11/5/2014; 2/19/2015; 5/27/2015; 7/23/2015; 8/11/2015; 10/19/2015; 12/29/2015; 4/21/2016; 5/6/2016; 12/20/2016; 8/18/2017; (Reformatted) 6/19/2019; 11/11/2019; 6/24/2020; 6/30/2021; 4/25/2022; 6/15/2022; 6/16/2022; 10/24/2022; 10/27/2023