

AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

Directions: The prescribing physician must sign and clearly print name (preprinted stamps not valid) on this request. All other information may be filled in by office staff; **fax to 1-305-671-0200.** No additional phone calls will be necessary if all information (including phone and fax #s) on this form is correct. **If the information provided is not complete, correct, or legible, the authorization process may be delayed.**

Drug Requested: cinacalcet (Sensipar®)

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name: _____

Member AvMed #: _____ Date of Birth: _____

Prescriber Name: _____

Prescriber Signature: _____ Date: _____

Office Contact Name: _____

Phone Number: _____ Fax Number: _____

DEA OR NPI #: _____

DRUG INFORMATION: Authorization may be delayed if incomplete.

Drug Form/Strength: _____

Dosing Schedule: _____ Length of Therapy: _____

Diagnosis: _____ ICD Code, if applicable: _____

Weight: _____ Date: _____

Quantity Limits:

- cinacalcet 30 mg tablet: 2 tablets per day
- cinacalcet 60 mg tablet: 2 tablets per day
- cinacalcet 90 mg tablet: 4 tablets per day

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

Initial Authorization: 6 months

Please select one of the following diagnoses:

(Continued on next page)

❑ Diagnosis: Secondary Hyperparathyroidism

- ❑ Must be prescribed by or in consultation with a nephrologist or endocrinologist
- ❑ Member is at least 18 years of age
- ❑ Member has a diagnosis of chronic kidney disease (CKD)
- ❑ Member is currently undergoing dialysis
- ❑ Baseline (pre-treatment) intact parathyroid hormone (iPTH) >300 pg/mL OR bio-intact parathyroid hormone (biPTH) >160 pg/ml **(labs must be submitted with request)**
- ❑ Baseline serum calcium (Ca) >8.4 mg/dL (corrected for albumin) **(labs must be submitted with request)**
- ❑ Member has a documented failure, contraindication, or ineffective response at maximally tolerated doses to a minimum (3) month trial with a vitamin D agent e.g., calcitriol, doxercalciferol, paricalcitol **(verified by pharmacy paid claims)**
- ❑ Member has a documented failure, contraindication, or ineffective response at maximally tolerated doses to a minimum (3) month trial with a phosphate binder e.g., calcium carbonate, calcium acetate, sevelamer hydrochloride, sevelamer carbonate, lanthanum carbonate **(verified by pharmacy paid claims)**

❑ Diagnosis: Parathyroid Carcinoma

- ❑ Must be prescribed by or in consultation with an oncologist, nephrologist or endocrinologist
- ❑ Member is at least 18 years of age
- ❑ Member has a diagnosis of parathyroid carcinoma
- ❑ Confirmation the patient has hypercalcemia as defined by baseline serum calcium (Ca) >10 mg/dL (corrected for albumin) **(labs must be submitted with request)**

❑ Diagnosis: Primary Hyperparathyroidism

- ❑ Must be prescribed by or in consultation with a nephrologist or endocrinologist
- ❑ Member is at least 18 years of age
- ❑ Confirmation the patient has severe hypercalcemia as defined by baseline (pre-treatment) serum calcium (Ca) >12 mg/dL (corrected for albumin) **(labs must be submitted with request)**
- ❑ Confirmation that parathyroidectomy is indicated but patient is unable to undergo surgery **(labs must be submitted with request)**

Reauthorization Approval: 12 months. Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied.

(Continued on next page)

Please select one of the following diagnoses:

Diagnosis: Secondary Hyperparathyroidism

- Absence of unacceptable toxicity from the drug (e.g. hypocalcemia, upper gastrointestinal bleeding, seizures, hypotension, worsening heart failure, arrhythmia, adynamic bone disease)
- Adequate documentation of disease response as indicated by improvement of intact parathyroid hormone (iPTH) levels from pretreatment baseline has been submitted
- Current intact parathyroid hormone (iPTH) >150 pg/ml (**labs must be submitted with request**)
- Current serum calcium (Ca) >7.5 mg/dL AND the patient does not have symptoms of hypocalcemia (**labs must be submitted with request**)

Diagnosis: Parathyroid Carcinoma

- Absence of unacceptable toxicity from the drug (e.g. hypocalcemia, upper gastrointestinal bleeding, seizures, hypotension, worsening heart failure, arrhythmia, adynamic bone disease)
- Adequate documentation of disease response as indicated by improvement of serum calcium (Ca) from pretreatment baseline has been submitted
- Current serum calcium (Ca) >8.4 mg/dL (**labs must be submitted with request**)

Diagnosis: Primary Hyperparathyroidism

- Absence of unacceptable toxicity from the drug (e.g. hypocalcemia, upper gastrointestinal bleeding, seizures, hypotension, worsening heart failure, arrhythmia, adynamic bone disease)
- Adequate documentation of disease response as indicated by improvement of serum calcium (Ca) from pretreatment baseline has been submitted
- Current serum calcium (Ca) >8.4 mg/dL (**labs must be submitted with request**)

Not all drugs may be covered under every Plan

If a drug is non-formulary on a Plan, documentation of medical necessity will be required.

Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.

Previous therapies will be verified through pharmacy paid claims or submitted chart notes.