AvMed

PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-305-671-0200</u>. No additional phone calls will be necessary if all information <u>(including phone and fax #s)</u> on this form is correct. <u>If the information provided is not</u> complete, correct, or legible, the authorization process can be delayed.

Drug Requested: Spravato[®] (esketamine) (S0013)

Mark the benefit you would like the PA entered under:

- □ Pharmacy Benefit
- □ Medical Buy and Bill submit prior authorization request via fax to pharmacy 1-844-668-1550

MEMBER & PRESCRIBER INFORMATION: Authorization may be delayed if incomplete.

Member Name:	
Member AvMed #:	Date of Birth:
Prescriber Name:	
Prescriber Signature:	Date:
Office Contact Name:	
Phone Number:	Fax Number:
NPI #:	
DRUG INFORMATION: Authorization may be delayed if incomplete.	
Drug Name/Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code, if applicable:
Weight (if applicable):	Date weight obtained:

Quantity Limit:

- Major Depressive Disorder with Acute Suicidal Ideation or Behavior: 8 kits/month; 1 month of treatment
- Treatment-Resistant Depression: 4 kits/month (*induction dose requires 8 kits/month)

CLINICAL CRITERIA: Check below all that apply. All criteria must be met for approval. To support each line checked, all documentation, including lab results, diagnostics, and/or chart notes, must be provided or request may be denied. Check box below for the Diagnosis that applies.

Choose <u>ONE</u> of the following applicable diagnoses below. <u>Provider Please Note</u>: Any indication that is <u>NOT</u> FDA approved will be considered experimental/investigational and <u>NOT</u> medically necessary

Treatment Resistant Depression. <u>ALL</u> the following criteria must be met:

Reauthorization is <u>NOT</u> required

- □ Member must be 18 years of age or older
- **\Box** Spravato[®] must be prescribed by <u>**ONE**</u> of the following:
 - Psychiatrist
 - Provider who has consulted with a psychiatrist (include name/date):
- □ Member must have a diagnosis of treatment resistant depression (TRD) without psychotic features defined by current DSM criteria made or verified by a psychiatrist

□ ICD Code/Diagnosis: _____

Member must be experiencing moderate to severe symptomology documented by a standardized rating scale that reliably measures depressive symptoms. A current baseline (within previous 30 days, prior to starting Spravato[®]) scale with scoring <u>must be attached</u>.

□ Scale: _____

- Date Administered:
- Member must have experienced clinical failure or intolerance with at least two (2) antidepressant therapies from at least two (2) different drug classes (verified by pharmacy paid claims and/or chart notes)
 - Failures must be of adequate dose (maximally tolerated)
 - Failures must be of adequate duration (at least 6 weeks)
 - Adherent fills required (verified by pharmacy claims)
 - Failures must occur during current depressive episode
 - Antidepressant therapy would include any of the following classes:
 - Selective serotonin reuptake inhibitors (e.g., citalopram, fluoxetine, paroxetine, sertraline)
 - Serotonin norepinephrine reuptake inhibitors (e.g., duloxetine, venlafaxine)
 - Bupropion
 - Tricyclic antidepressants (e.g., amitriptyline, clomipramine, nortriptyline)
 - Mirtazapine
 - Monoamine oxidase inhibitors (e.g., selegiline, tranylcypromine)
 - Serotonin modulators (e.g., nefazodone, trazodone)
 - 1. Drug:
 Dose:
 Duration:

 Reason for Discontinuation:
 Dose:
 Duration:

 2. Drug:
 Dose:
 Duration:

 Reason for Discontinuation:
 Duration:
 Duration:

(Continued on next page)

- □ Member must have experienced clinical failure or intolerance with at least one (1) augmentation therapy (e.g., lithium, liothyronine, antipsychotics or anticonvulsants) (verified by pharmacy paid claims and/or chart notes)
 - Failures must be of adequate dose (maximally tolerated)
 - Failures must be of adequate duration (at least 6 weeks)
 - Adherent fills required (verified by pharmacy claims)
 - Failures must occur during current depressive episode
- Member does <u>NOT</u> have aneurysmal vascular disease (including thoracic and abdominal aorta, intracranial and peripheral arterial vessels), arteriovenous malformation, or a history of intracerebral hemorrhage
- Prescriber must have assessed the member's risk for abuse of controlled substances (i.e., review of medical history, review of state prescription monitoring program (PMP))
- □ Member must be enrolled in the Spravato[®] REMS program
- □ Administering site/provider must be certified in the Spravato[®] REMS program:

Diagnosis: Major Depressive Disorder with Suicidal Ideation or Behavior

Continuation of inpatient Spravato[®] therapy, <u>ALL</u> the following criteria must be met:

One-time authorization per episode for remaining doses required for continuation. Maximum allowable duration = 1 month

- Provider <u>MUST</u> submit date of therapy initiation and number of doses administered up to point of request
 - Date Spravato[®] therapy initiated: ______
 - Number of doses administered since initiation:
- □ Member must be 18 years of age or older

(Continued on next page)

Diagnosis: Major Depressive Disorder with Suicidal Ideation or Behavior

□ Initiation of outpatient Spravato[®] therapy, <u>ALL</u> the following criteria must be met:

One-time authorization per episode for a duration of 1 month, total of 8 kits/month

- □ Member must be 18 years of age or older
- \Box Spravato[®] must be prescribed by or in consultation with a psychiatrist
 - □ Psychiatrist
 - □ Provider who has consulted with a psychiatrist (include name/date): _____
- □ Member must have a diagnosis of major depressive disorder <u>with</u> acute suicidal ideation or behavior verified by a psychiatrist
- □ Spravato[®] must be used in combination with a daily oral antidepressant. **Documentation (pharmacy claims or chart notes) required.**

Drug:

- □ Prescriber must have assessed the member's risk for abuse of controlled substances (i.e., review of medical history, review of state prescription monitoring program (PMP))
- □ Member must be enrolled in the Spravato[®] REMS program
- □ Administering site/provider must be certified in the Spravato[®] REMS program:
 - Name/Location of Administering Provider: ______

Medication being provided by (check applicable box(es) below):

Physician's office OR Specialty Pharmacy – Proprium Rx

Not all drugs may be covered under every Plan.

If a drug is non-formulary on a Plan, documentation of medical necessity will be required. **Use of samples to initiate therapy does not meet step edit/ preauthorization criteria.** *<u>Previous therapies will be verified through pharmacy paid claims or submitted chart notes.</u>*