## **AvMed**

## PHARMACY PRIOR AUTHORIZATION/STEP-EDIT REQUEST\*

<u>Directions</u>: <u>The prescribing physician must sign and clearly print name (preprinted stamps not valid)</u> on this request. All other information may be filled in by office staff; <u>fax to 1-305-671-0200</u>. No additional phone calls will be necessary if all information (<u>including phone and fax #s</u>) on this form is correct. <u>If the information provided is not complete, correct, or legible, the authorization process can be delayed.</u>

Drug Requested: Simponi® (golimumab) SQ ONLY (Pharmacy)

MEMBER & PRESCRIBER INFO	<b>ORMATION:</b> Authorization may be delayed if incomplete.
Member Name:	
Member AvMed #:	
Prescriber Name:	
Prescriber Signature:	Date:
Office Contact Name:	
Phone Number:	Fax Number:
DEA OR NPI #:	
DRUG INFORMATION: Authoriza	ation may be delayed if incomplete.
Drug Form/Strength:	
Dosing Schedule:	Length of Therapy:
Diagnosis:	ICD Code:
Weight:	Date:
immunomodulator (e.g., Dupixent, Entyvio,	of concomitant therapy with more than one biologic, Humira, Rinvoq, Stelara) prescribed for the same or different ational. Safety and efficacy of these combinations has <b>NOT</b> been
	ow all that apply. All criteria must be met for approval. To ion, including lab results, diagnostics, and/or chart notes, must be
☐ Diagnosis: Moderate-to-Severe Dosing: SubQ: 50 mg once a month (s	
☐ Member has a diagnosis of moderate	e-to-severe <b>rheumatoid arthritis</b>
☐ Prescribed by or in consultation with	h a Rheumatologist

(Continued on next page)

		Member has tried and failed at least <u>ONE</u> of the following <b>DMARD</b> therapies for at least <u>three (3)</u> <b>months</b>										
		hydroxychloroquine	oxychloroquine									
		leflunomide										
		methotrexate										
		sulfasalazine										
	Me	ember meets <b>ONE</b> of t	he following:									
	Member tried and failed, has a contraindication, or intolerance to <u>TWO</u> of the <u>PREFERRED</u> biologics below (verified by chart notes or pharmacy paid claims):											
		☐ Actemra® SC	adalimumab pı	□ Enbrel®								
	□ Rinvoq <sup>®</sup> □ Xeljanz <sup>®</sup> /XR <sup>®</sup>											
	Member has been established on Simponi <sup>®</sup> SQ for at least 90 days <u>AND</u> prescription claims history indicates <u>at least a 90-day supply of Simponi SQ was dispensed within the past 130 days</u> (verifiby chart notes or pharmacy paid claims)											
I	Oosi	gnosis: Active Psong: SubQ: 50 mg one ogic DMARDs)		lone o	or in combina	ation	with methotrexate	e or	other non-			
	Me	ember has a diagnosis	of active <b>psoriatic</b> a	arthri	itis							
	Pre	escribed by or in consu	ltation with a <b>Rheu</b>	ımato	logist							
								t three (3)				
		cyclosporine										
		leflunomide										
		methotrexate										
		sulfasalazine										
	Me	ember meets <b>ONE</b> of t	he following:									
<ul> <li>Member tried and failed, has a contraindication, or intolerance to <u>TWO</u> of the <u>Pl</u> biologics below (verified by chart notes or pharmacy paid claims):</li> </ul>								REF	ERRED			
				u F	Enbrel®		Otezla <sup>®</sup>		Rinvoq®			
		adalimumab prod Humira® Cyltez	ducts: o <sup>®</sup> or Hyrimoz <sup>®</sup>		Stelara <sup>®</sup>		Taltz <sup>®</sup>		Tremfya®			
		Trumma , Cyntoz			Skyrizi <sup>®</sup>		Xeljanz <sup>®</sup> /XR <sup>®</sup>					
		Member has been estindicates at least a 90	-	-								

by chart notes or pharmacy paid claims)

Ι	)osin	<ul><li>gnosis: Active Ankylosing Spondylitis</li><li>ng: SubQ: 50 mg once a month (either alone or in combination gic DMARDs)</li></ul>	witl	n methotrexate or	other non-			
	☐ Member has a diagnosis of active ankylosing spondylitis							
	□ Prescribed by or in consultation with a <b>Rheumatologist</b>							
	☐ Member tried and failed, has a contraindication, or intolerance to <b>TWO</b> NSAIDs							
		Member tried and failed, has a contraindication, or intolerance biologics below (verified by chart notes or pharmacy paid of	_		FERRED			
		□ adalimumab product: Humira®, Cyltezo® or Hyrimoz®		Enbrel <sup>®</sup>	□ Rinvoq®			
		□ Taltz <sup>®</sup>		Xeljanz®/XR®				
		Member has been established on Simponi® SQ for at least 90 c	lays	AND prescription	n claims history			
		indicates at least a 90-day supply of Simponi SQ was disper	sed	within the past 1	30 days (verified			
		by chart notes or pharmacy paid claims)						
	)iag	nosis: Moderate-to-Severe Active Ulcerative Coliti	S					
I	osin	ng: SubQ: Induction: 200 mg at week 0, then 100 mg at week 2		llowed by mainter	nance therapy			
C	f 100	0 mg every 4 weeks						
	☐ Member has a diagnosis of moderate-to-severe active Ulcerative Colitis							
	Prescribed by or in consultation with a Gastroenterologist							
	Me	ember meets <u>ONE</u> of the following:						
		☐ Member has tried and failed budesonide or high dose steroids (40-60 mg prednisone)						
		Member has tried and failed at least <b>ONE</b> of the following <b>DM</b> months	IAR	<b>D</b> therapies for at	least three (3)			
		☐ 5-aminosalicylates (balsalazide, olsalazine, sulfasalazine)						
		oral mesalamine (Apriso, Asacol/HD, Delzicol, Lialda, Per	ntasa	a)				
	Me	ember meets <b>ONE</b> of the following:						
		Member tried and failed, has a contraindication, or intolerance <b>PREFERRED</b> adalimumab products:	to <u>(</u>	<b><u>ONE</u></b> of the follow	ring			
		☐ Humira <sup>®</sup>						
		□ Cyltezo <sup>®</sup>						
		☐ Hyrimoz <sup>®</sup>						
		Member has been established on Simponi® SQ for at least 90 c						
		indicates at least a 90-day supply of Simponi SQ was dispendiby chart notes or pharmacy paid claims)	sed	within the past 1	<u> 30 days</u> (verified			
		by chart hotes of pharmacy paid claims)						

(Continued on next page)

## Medication being provided by a Specialty Pharmacy - Proprium Rx

\*\*Use of samples to initiate therapy does not meet step edit/ preauthorization criteria. \*\*

\*Previous therapies will be verified through pharmacy paid claims or submitted chart notes. \*