



Cold Therapy Durable Medical Equipment (DME)

Origination: 03/18/03	Revised: 09/01/17	Annual Review: 11/02/17
------------------------------	--------------------------	--------------------------------

Purpose:

To provide guidelines for the Medical Department staff to reference when making benefit determinations regarding Cold Therapy Durable Medical Equipment (DME) guidelines specific for Members with chronic and disabling conditions.

Background Information:

Definitions

- Cooling devices use chilled water to decrease the local temperature of tissue.
- There are a variety of cooling devices available, ranging from gravity-fed devices that are manually filled with iced water, to motorized units that both cool and circulate the chilled water.
- These devices are typically used when ice packs would normally be applied (e.g., after orthopedic surgical procedures).

Exclusions

- Passive cold compression therapy units (e.g., AirCast Cryo Cuff, AirCast Cryo Strap, the Polar Care Cub unit, and the Polar Pack) are considered investigational and not covered because their effectiveness has not been established. They are considered personal convenience items.
- Active cold compression therapy units with mechanical pumps and portable refrigerators (e.g., AutoChill, Game Ready, IceMan, NanoTherm, Prothermo, and Vascutherm) are considered investigational and not covered because they have not been proven to offer clinically significant benefits over passive cold compression therapy units.
- The Hot/Ice Machine and similar devices (e.g., the Hot/Ice Thermal Blanket, the TEC Thermoelectric Cooling System, the VitalWear Cold/Hot Wrap, and the VitalWrap) are considered investigational and not covered for reducing pain and swelling after surgery or injury as studies have failed to show that the Hot/Ice Machine offers any benefit over standard cryotherapy with ice bags/packs.
- Codes affected: E0218, E0236



Cold Therapy Durable Medical Equipment (DME)

References:

1. Cohn BT, Draeger RI, Jackson DW. The effects of cold therapy on the postoperative management of pain in patients undergoing anterior cruciate ligament reconstruction. *Am J Sports Med.* 1989;17(3):344-349.
2. Bert JM, Stark JG, Maschka K, Chock C. The effect of cold therapy on morbidity subsequent to arthroscopic lateral retinacular release. *Orthop Rev.* 1991;20(9):755-758.
3. Barber FA, McGuire DA, Click S. Continuous-flow cold therapy for outpatient anterior cruciate ligament reconstruction. *Arthroscopy.* 1998;14(2):130-135.
4. Konrath GA, Lock T, Goitz HT, Scheidler J. The use of cold therapy after anterior cruciate ligament reconstruction. A prospective randomized study and literature review. *Am J Sports Med.* 1996;24(5):629-633.
5. Edwards DJ, Rimmer M, Keene GC. The use of cold therapy in the postoperative management of patients undergoing arthroscopic anterior cruciate ligament reconstruction. *Am J Sports Med.* 1996;24(2):193-195.
6. Philadelphia Panel. Philadelphia Panel evidence-based clinical practice guidelines on selected rehabilitation interventions for low back pain. *Phys Ther.* 2001;81(10):1641-1674.
7. Philadelphia Panel. Philadelphia Panel evidence-based clinical practice guidelines on selected rehabilitation interventions for low back pain. *Phys Ther.* 2001;81(10):1641-1674.
8. Bleakley C, McDonough S, MacAuley D. The use of ice in the treatment of acute soft-tissue injury: A systematic review of randomized controlled trials. *Am J Sports Med.* 2004;32(1):251-261.
9. Warren TA, McCarty EC, Richardson AL, et al. Intra-articular knee temperature changes: Ice versus cryotherapy device. *Am J Sports Med.* 2004;32(2):441-445.
10. Lee CK, Pardun J, Buntic R, et al. Severe frostbite of the knees after cryotherapy. *Orthopedics.* 2007;30(1):63-64.
11. Tricenturion, LLC. Cold therapy. Medicare Local Coverage Determination (LCD) No. L5038. Durable Medical Equipment Program Safeguard Contractor (DME PSC). Columbia, SC: Tricenturion; revised July 1, 2007.
12. Robinson VA, Brosseau L, Casimiro L, et al. Thermotherapy for treating rheumatoid arthritis. *Cochrane Database Syst Rev.* 2002;(2):CD002826.
13. Barber FA. A comparison of crushed ice and continuous flow cold therapy. *Am J Knee Surg* 2000; 13(2):97-101.
14. Brosseau L, Judd MG, Marchand S, et al. Thermotherapy for treatment of osteoarthritis. *Cochrane Database Syst Rev.* 2003;(4):CD004522.
15. Hubbard TJ, Aronson SL, Denegar CR. Does cryotherapy hasten return to participation: A systematic review. *J Athletic Training.* 2004;39(1):88-94.



Cold Therapy Durable Medical Equipment (DME)

Disclaimer Information:

Coverage Issues Guidelines and Medical Technology Assessment Recommendations are developed to determine coverage for AvMed's benefits, and are published to provide a better understanding of the basis upon which coverage decisions are made. AvMed makes coverage decisions using these guidelines, along with the Member's benefit document. The use of this guideline is neither a guarantee of payment nor a final prediction of how specific claim(s) will be adjudicated.

Coverage Issues Guidelines and Medical Technology Assessment Recommendations are developed for selected therapeutic or diagnostic services found to be safe, but proven effective in a limited, defined population of patients or clinical circumstances. They include concise clinical coverage criteria based on current literature review, consultation with practicing physicians in the AvMed service area who are medical experts in the particular field, FDA and other government agency policies, and standards adopted by national accreditation organizations.

Treating providers are solely responsible for the medical advice and treatment of Members. This guideline may be updated and therefore is subject to change.